



## Conjugated Porous Organic Polymers for Gas Capture and Separation

**Prof. Dr. Bao-Hang Han**

CAS Key Laboratory of Nanosystem  
and Hierarchical Fabrication,  
CAS Center for Excellence in  
Nanoscience,  
National Center for Nanoscience and  
Technology,  
Beijing 100190,  
China

26. Oktober 2017  
16:00 Uhr  
Campus Griffenberg  
Hörsaal 16  
0.06.06.

[www.ifp.uni-wuppertal.de](http://www.ifp.uni-wuppertal.de)

■ Conjugated organic polymers, possessing intrinsic properties of large surface areas, high thermal and chemical stabilities, and low skeleton density, exhibit potential applications in gas storage and separation. Based on special spirocyclic or propeller-like monomers, various heteroatom-containing organic microporous polymers were prepared through a wide variety of C–C coupling reactions and further characterized at the molecular level by  $^{13}\text{C}$  CP/MAS NMR spectrum, as well as other techniques. All the obtained polymers are chemically and thermally stable. According to the obtained nitrogen physisorption isotherms, the BET specific surface area for these polymers varies between 700 and  $2200\text{ m}^2\text{g}^{-1}$ . The sorption measurements show the polymers possess nice adsorption capacity to hydrogen and carbon dioxide, showing a good gas separation of carbon dioxide over methane/nitrogen.